

今日の予定

5. 時間計算量

- “Folding complexity”入門
 - 理論上、世界最速のジャバラ折りアルゴリズム

6. 領域計算量(?)

- 切手折り問題
- 折り目幅最小化問題
 - NP完全問題、FPTアルゴリズムなど

7. (折り紙における決定不能問題)

- 対角線論法と不完全性定理

A survey on computational complexity of finding good folded state with few crease width

Ryuhei Uehara (JAIST, Japan)

- Erik D. Demaine, David Eppstein, Adam Hesterberg, Hiro Ito, Anna Lubiw, Ryuhei Uehara and Yushi Uno: Folding a Paper Strip to Minimize Thickness, *The 9th Workshop on Algorithms and Computation (WALCOM 2015)*, Lecture Notes in Computer Science Vol. 8973, pp. 113-124, 2015/02/26-2015/02/28, Dhaka, Bangladesh.
- Takuya Umesato, Toshiki Saitoh, Ryuhei Uehara, Hiro Ito, and Yoshio Okamoto: Complexity of the stamp folding problem, *Theoretical Computer Science*, Vol. 497, pp. 13-19, 2012.

関連研究？

- 英語のイデオムで「紙を10回半分に折る」で「できないことの例え」になるらしい。

Folding Paper in Half 12 Times:

The story of an impossible challenge solved at the Historical Society office

Alice laughed: "There's no use trying," she said; "one can't believe impossible things." "I daresay you haven't had much practice," said the Queen.

Through the Looking Glass by L. Carroll

BRITNEY'S FOLDING RECORD STILL HOLDS

The long standing challenge was that a *single* piece of paper, no matter the size, cannot be *folded* in half more than 7 or 8 times. Recently, reports have been made that Britney's paper folding record of folding a piece of paper in half 12 times has been broken. These current attempts, though laudable and will eventually be



Photo of the 11th Fold, One More to go.

Minimization of Crease width

Input: Paper of length $n+1$ and $s \in \{M, V\}^n$

Output: folded paper according to s

Goal: Find a *good* folded state with *few crease width*

- At each crease, the number of paper layers between the paper segments hinged at the crease is *crease width* at the crease
- **Two minimization problems;**
 - minimize maximum
 - minimize total (=average)

Good!

Bad!



No!!


It seems simple, ... so easy??

Crease width problem

Cf. I'd checked that by brute force...

Simple non-trivial example (1)


Input: MMVMMVMVVVV



The number of feasible folded states: **100**

Goal: Find a *good* folded state with few *crease width*

- The **unique** solution having **min. max.** value 3
[5|4|3|6|7|1|2|8|10|12|11|9]
- The **unique** solution having **min. total** value 11
[5|4|3|1|2|6|7|8|10|12|11|9]



Crease width problem

Simple non-trivial example (2)

A few facts;

- a pattern has a unique folded state iff it is pleats
- solutions of {**min max**} and {**min total**} are different depending on a crease pattern.
- there is a pattern having *exponential* combinations



This pattern is almost pleats, but it has exponentially many folded states....

Main Results

The crease width problem (unit interval)

- **Min-Max problem:** NP-complete

(Reduction from 3-Partition)

It is intractable even for small n ...

- **Min-Total problem:**

- Complexity is *still open*...

- *Fixed Parameter Tractable algorithm;*

it runs in $O((k+1)^k n)$ time, where k is the total crease width.
the algorithm itself is natural, but analysis is bit tricky.

It is solvable if k is quite small...

MinMax is NP-complete

Proof: Polynomial time reduction from 3-Partition.

3-Partition:

$$(B/4 < a_j < B/2)$$

Input: Set of integers $A = \{a_1, a_2, \dots, a_{3m}\}$ and integer B

Question: Is there a partition of A to A_1, \dots, A_m

such that $|A_i|=3$ and $\sum_{a_j \in A_i} a_j = B$

$$A = \{a_1, a_2, \dots, a_{3m}\}$$



$$A_1 \begin{array}{|c|} \hline a_{11} \\ \hline a_2 \\ \hline a_6 \\ \hline \end{array}$$


$$A_2 \begin{array}{|c|} \hline a_6 \\ \hline a_7 \\ \hline a_5 \\ \hline \end{array}$$

...

$$A_m \begin{array}{|c|} \hline a_{14} \\ \hline a_9 \\ \hline a_3 \\ \hline \end{array}$$


Construction for MinMax Overview

図がわかりにくいのであとで再放送。。。



(Poly-time) Algorithm for MinTotal

- Enumerate all folding ways with respect to the string s up to total crease width k .
- Each folded state is generated incrementally.



- Check the total crease width at each increment.

Running time

- The algorithm for given fixed total crease width k runs in $O(n^{2+k})$ time.

at each crease, the sequence of c.w. is

- $c_1, c_2, \dots, c_i, \dots$ with $\sum_{i=1,2,\dots} c_i \leq k$

that is a partition of k

- With more careful (and complex) analysis shows that the algorithm runs in $O((k+1)^k n)$ time!!

That is, this is fixed parameter tractable algorithm!

Known results

Possible extensions in 2012;

最近ここで進展がありました。

1. Non-unit intervals between creases

How can you measure the thickness of pile of **various lengths**?

2. 2-Dimensional (...related to Map-folding?)

How can you measure the crease-width **in 2D**?

3. Different Criteria for “space complexity”

We have few ideas...

(by Prof. Iwama: you can fold left $<k$ and right $>k$ creases in $[1..n]$)

(Area to fold for long-pipe folding)

Now we turn to ···

- Quite simple model

1. 1 dimensional

2. Unit lengths between creases


Non-unit intervals!!

Not only M/V, but also lengths between creases are given

But,,, wait,,,

For non-unit interval creases...

Crease width = the number of paper layers at a crease?




How can we count the paper layers?

For non-unit interval creases...

Crease width = the number of paper layers at a crease?

- We introduce three new “widths” of a folded state:
 - Two are natural extensions of Max-CW and Total-CW; one is totally new!
- For VMVMVMMMM, e.g., we have;



Main results in (DEHILUU 2015)

Summary

	Unit interval model in [USUIO2012]	General model in (DEHILUU 2015)
max crease width	NP-complete	NP-complete
total crease width	open	NP-complete [DEHILUU 2015]
height	trivial	NP-complete [DEHILUU 2015]

Proof
Idea

Minimize height is NP-complete

Proof: Polynomial time reduction from 3-Partition.

3-Partition:

$$(B/4 < a_j < B/2)$$

Input: Set of integers $A = \{a_1, a_2, \dots, a_{3m}\}$ and integer B

Question: Is there a partition of A to A_1, \dots, A_m

such that $|A_i|=3$ and $\sum_{a_j \in A_i} a_j = B$

$$A = \{a_1, a_2, \dots, a_{3m}\}$$



$$A_1 \begin{array}{|c|} \hline a_{11} \\ \hline a_2 \\ \hline a_6 \\ \hline \end{array}$$

$$A_2 \begin{array}{|c|} \hline a_6 \\ \hline a_7 \\ \hline a_5 \\ \hline \end{array}$$


...

$$A_m \begin{array}{|c|} \hline a_{14} \\ \hline a_9 \\ \hline a_3 \\ \hline \end{array}$$

Minimize height is NP-complete

Proof: Polynomial time reduction from 3-Partition.

Basic gadget




The way of folding is **unique** by bit longer end-edges

Minimize height is NP-complete

Proof: Polynomial time reduction from 3-Partition.


Overview



Minimize height is NP-complete

Proof: Polynomial time reduction from 3-Partition.

Overview



Summary & Future work...

Origami is interesting
even in 1 dimension!!

	Unit interval model in [USU <u>IO</u> 2012]	General model in (DEHIL <u>U</u> 2015)
max crease width	NP-complete	NP-complete
total crease width	open	NP-complete [DEHIL <u>U</u> 2015]
height	trivial	NP-complete [DEHIL <u>U</u> 2015]

Future work:

- Replace “open” into ???
- Extension to 2 dimension
 - Different measures of “thickness”?
- Estimation of the way of folding (~time complexity)
- Nicer model for “*Time-space trade off*” for Origami